## In - Line Check Valve


The series DBCP in-line check valve is a simple, reliable, cost effective method of backflow prevention. The series DBCP check valve is designed to be installed between two mating flanges.

The simple maintenance-free elastomer with a flanged connection eliminates the mechanical parts which can wear and jam in conventional check valves. For installation at the end of pipe line, the valve can be ordered with optional back up flanges.

Performance Features:

Options:

- Low pressure drop
- Frost proof
- Silent operation
- Corrosion resistant



Sleeve Elastomer

Back up Flange available for ser-

vice at the end of pipe line

All dimensions are in inches.

SIZE	2	2.5	3	4	5	6	8	10	
Α	6.00	8.00	8.50	13.00	14.00	15.00	18.00	20.00	
В	1.87	2.25	2.87	3.75	4.75	5.75	7.50	9.50	
С	0.37		0.75				0.87		
Wt, lb	5	8	10	15	17	20	25	35	
SIZE	12	14	16	18	20	24	30	36	
Α	24.00	24.00	27.00	28.00	32.00	40.00	45.00	50.00	
A B	24.00 11.25	24.00 12.50	27.00 14.00	28.00 16.00	32.00 18.00	40.00 22.00	45.00 28.75	50.00 34.75	
	11.25		14.00				28.75		

Dimensions are subject to change without notice.